



CLAYTON MUNROE

RESTORATION



Our trademarked 'Rough At The Edges' range of traditional forged ironmongery was originally developed in response to demand from customers faced with the problem of sourcing original hardware when restoring period buildings.

Our Rough At The Edges products ensure the true character of the building can be preserved and includes many authentic replicas of restoration hardware often based on 17th and 18th century patterns.



The hand forged nature of the range means that no two pieces are identical, yet quality is of the highest standard. Items are available in three primary finishes - Rough At The Edges Black, Rough At The Edges Wax and Hammered Patine (see fold-out page at the back of this binder for further information).

FINISHES & MAINTENANCE

Hammered Patine

The base material is steel or cast iron. As the name implies, this finish is achieved by hammering the surface and is a pewter coloured finish. This finish is highly suitable for external applications and allows the Rough At The Edges product range to be used throughout a project specification. The products are finished in a clear lacquer and when fitted internally require only the occasional cleaning with a household furniture bees wax applied with a soft cloth. Externally, the product will benefit from the maintenance of a layer of household bees wax as this helps control the effects of exposure of the surface to the atmosphere and enhances the development of the natural patina that comes with the aging of the product. If cleaning is required use only a non-acidic soap. Do not use abrasive or chemical cleaners. It is to be expected that eventually the lacquer will break down and some evidence of corrosion may be seen. There are two types of corrosion that may develop. White rust, which is a harmless zinc oxide and which can be removed using a wax or oil cloth, and red rust, iron oxide, which is seen usually where two surfaces rub or are very close together. Regular maintenance will prevent corrosion becoming unsightly or damaging to the product. This life of this finish is guaranteed; see our Terms and Conditions sections for the full guarantee details.



Rough at the Edges Wax

Each product is coated in natural pure bees wax. The traditional method of sealing forged iron is to use beeswax; it allows the colours and textures produced by the forging process to show through. If this coating breaks down and air comes into contact with the metal then the product will begin to rust. To prevent this the periodic application of a household bees wax will keep the product pleasant to both see and use. Do not use abrasive or chemical cleaners. This finish is not suitable for external or exposed situations. Because the finish is so dependant upon how it is maintained we cannot give any guarantees as to its continuity.

Rough at the Edges Black

This finish was originally developed to meet the need to use the Rough at the Edges range of products in external or exposed positions. The products undergo an anti-corrosion treatment and then finished in a black powder coating. Externally, the product will benefit from the maintenance of a layer of household bees wax as this helps control the effects of exposure of the surface to the atmosphere. If cleaning is required use only a non-acidic soap. Do not use abrasive or chemical cleaners. It is to be expected that eventually the lacquer will break down and some evidence of corrosion may be seen. There are two types of corrosion that may develop. White rust, which is a harmless zinc oxide and which can be removed using a wax or oil cloth, and red rust, iron oxide, which is seen usually where two surfaces rub or are very close together. Regular maintenance will prevent corrosion becoming unsightly or damaging to the product. The life of this finish is guaranteed; see our Terms and Conditions sections for

For pricing or enquiries email sales@mercuryfittings.co.za



32-123 Weighty Scotch Pattern T Hinge

Overall length: 470mm
Butt size: 130 x 35mm Tail size: 410 x 50mm
Nail size: 40mm Screw size: 25mm x 8 RHD

Finishes available:

Hammered Patine, (Screw fixing only),
Rough At The Edges Black, Rough At The Edges Waxed.

(Available as screw or nail fixing - Please state fixings required.)



32-102 London Pattern T Hinge

Overall length: 250mm
Butt size: 100 x 27mm Tail size: 215 x 40mm
Nail size: 40mm Rose head cut nails Screw size: 8 x 25mm RHD

Finishes available:

Hammered Patine (Screw fixing only),
Rough At The Edges Black, Rough At The Edges Waxed.

(Available as screw or nail fixing - Please state fixings required.)



32-181 H Pattern Door Hinge

Size: 170 X 62mm
Screw size: 8 x 25mm RHD

Finishes available:

Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



32-159 HL Pattern Hinge

Size (Open): 180 x 60mm
Size (Overall): 180 x 185mm
Screw size: 8 x 25mm RHD

Finishes available:

Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.

For pricing or enquiries email sales@mercuryfittings.co.za



32-262 Kingston Hook Plate

Size: 165mm X 50mm
Pin size: 16mm
Coach screw size: 10 x 10 x 35mm long

Finishes available:

Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



32-211 Kingston Offset Hinge

Our standard Offset hinge is designed to work in conjunction with the Kingston Hook on Plate. Other offsets are available as a custom order.

Length: 310, 420, 530, 640, 750mm
Width: 50 x 5mm
Coach screw size: 10 x 10 x 35mm long

Finishes available:

Hammered Patine, Rough At The Edges Black, Rough At The Edges Waxed.



32-200 Kingston False Hinge

Length: 310, 420, 530, 640, 750mm
Width: 50 x 5mm
Coach screw size: 10 x 10 x 35mm long

Finishes available:

Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



32-267 Kingston Build- in Hook

Tail size: 140 x 90mm
Overall height: 90mm
Height of pin: 65mm
Pin size: 16mm

Finishes available:

Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.

For pricing or enquiries email sales@mercuryfittings.co.za



32-005 Staverton Thumbblatch
to suit door thickness up to 40mm

Handle size: 190mm
Lifting bar: 165mm
Projection: 110mm
Screw size: 6 x 19mm RHD

Finishes available:
Hammered Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



11 620 Gate/Door latch

Rose plate size: 52 x 68mm Ring dia: 60 x 75mm
Projection: 45mm Spindle: 8mm x 85mm
Staple Keep: 95 x 25mm Latch bar keep: 70 x 25mm

Finishes available:
Patine, Rough At The Edges Black.



11-700 Heavy duty door latch

Plate size: 247 x 58mm
Handle Projection: 60mm
Latch Bar: 225 x 528mm Latch Bar Plate: 64 x 32mm
Latch Bar Keep: 100 x 24mm with projection: 34mm

(Note to suit maximum door thickness 70mm)

Finishes available:
Patine, Rough At The Edges Black.



32-039 Tuckenhay Door Pull

Overall length: 160mm approx
Screw size: 19mm x 6 RHD

Finishes available:
Hammered Patine, Rough At The Edges Black,
Rough at The Edges Waxed.

For pricing or enquiries email sales@mercuryfittings.co.za



32-515 Octagonal Door Knob Set

Suitable for Mortice and Rim applications.

Supplied with 2 x Escutcheons **32-520**

Diameter: 65mm

Handle projection: 65mm

Back Plate size: 60mm

Screw size: 6 x 19mm CSK

Finishes available:

Patine, Rough At The Edges Black,
Rough at the Edges waxed.



32-510 Round Door Knob Set

Suitable for Mortice and Rim applications.

Supplied with 2 x Escutcheons **32-520**

Diameter: 44mm

Handle projection: 62mm

Back Plate size: 52mm

Screw size: 6 x 19mm CSK

Finishes available:

Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



32-505 Oval Door Knob Set

Supplied with 2 x Escutcheons **32-520**

Size: 65 x 35mm

Handle projection: 62mm

Back Plate size: 52mm

Screw size: 6 x 19mm CSK

Finishes available:

Patine, Rough At The Edges Black,
Rough at the Edges Waxed.



32-518 Octagonal fixed door knob

Rose Diameter: 75mm

Knob Diameter: 60mm

Projection: 485mm

Fixing: Black bolt through fixing 8 x 70mm

Finishes available:

Patine, Rough At The Edges Black.

For pricing or enquiries email sales@mercuryfittings.co.za



32-520 Escutcheon

Size: 50 x 30mm
Screw size: 6 x 19mm CSK

Finishes available:

Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



15-010 Covered Escutcheon

Size: 57 x 28mm
Screw size: 6 x 19mm CSK

Finishes available:

Patine, Rough At The Edges Black,
Rough At The Edges Waxed.



32-000 Jacobean Oak Box Lock

HANDED - left hand shown.
Supplied with 3 Lever lock only.
Box size: 200 x 150mm, Keep size: 50 x 150mm
(Knob furniture sold separately.)
Bracket screw size: 6 x 19mm RHD

KEYS SUPPLIED: 2 standard keys, 2 long keys
for maximum door thickness of 50mm

PLEASE NOTE: Box locks are available with a
choice of door knobs & escutcheons.

Octagonal, Round or Oval (Sold separately).



32-000 Antique Pine Box Lock

HANDED - left hand shown.
Supplied with 3 Lever lock only.
Box size: 200 x 150mm, Keep size: 50 x 150mm
(Knob furniture sold separately.)
Bracket screw size: 6 x 19mm RHD

KEYS SUPPLIED: 2 standard keys, 2 long keys
for maximum door thickness of 50mm

PLEASE NOTE: Box locks are available with a
choice of door knobs & escutcheons.

Octagonal, Round or Oval (Sold separately).

For pricing or enquiries email sales@mercuryfittings.co.za



32-075 Dartington Door Bolt c/w Mortice Plate
32-079 Dartington Door Bolt c/w Keep (pictured)

Backplate size: 145 x 50mm
 Keep size: 50 x 15mm
 Mortice Plate size: 45 x 25mm
 Plate screw size: 7 x 25mm CSK
 Screw size: 8 x 25mm RHD

Finishes available:

Hammered Patine, Rough at the Edges Waxed,
 Rough at the Edges Black.



32-085 Cranked Dartington Door Bolt c/w Keep
32-080 Cranked Dartington Door Bolt c/w Mortice Plt

Backplate size: 145 x 50mm
 Keep size: 50 x 15mm
 Mortice Plate size: 45 x 25mm
 Screw size: 8 x 25mm RHD

Finishes available:

Rough at the Edges Waxed only



14-971 Flush bolt Size: 152 x 25mm
14-976 Flush bolt Size: 203 x 25mm

(not recommended for fitting to lock face edge of door)

Finishes available:

Patine, Black.



14-900 Cabin Hook L75mm
14-905 Cabin Hook L150mm
14-910 Cabin Hook L200mm
14-915 Cabin Hook L250mm

Screw size: 8 x 25mm

Finishes available:

Patine, Black



13-041 Medium Robe Hook

Height: 125mm
 Projection: 80mm
 Backplate size: 50 x 33mm

Finishes available:

Patine, Black

For pricing or enquiries email sales@mercuryfittings.co.za

Pear Drop window Stay

20-133 Overall size: 265mm Stay arm size: 240mm

20-138 Overall size: 315mm Stay arm size: 287mm

Screw Size: 8 x 25mm CSK
c/w 2 pins



Finishes available:

Black, Patine.

Monkey Tail window Stay

20-157 Overall size: 265mm Stay arm size: 240mm

20-162 Overall size: 315mm Stay arm size: 287mm

Screw size: 8 x 25mm CSK
c/w 2 pins



Finishes available:

Black, Patine.

Curl window Stay

20-180/265 Overall size: 265mm Stay arm size: 240mm

20-180/315 Overall size: 315mm Stay arm size: 287mm

Screw size: 8 x 25mm CSK
c/w 2 pins



Finishes available:

Black, Patine.

For pricing or enquiries email sales@mercuryfittings.co.za



20-104 Pear Drop Fastener

Back Plate size: 55 x 19mm
Overall length: 100mm

Available with: (sold separately)
Hook Plate **20-100** (shown)
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

Finishes available:
Black, Patine.



20-109 Monkey Tail Fastener on Rectangular Plate

Back plate size: 55 x 19mm
Overall length: 100mm

Available with: (sold separately)
Hook Plate **20-100**
Mortice Plate **20-102** (shown)

Screw size: 8 x 25mm CSK

Finishes available:
Black, Patine.



20-120 Curl Window Fastener

Fixing plate size: 56 x 20mm

Available with: (sold separately)
Hook Plate **20-100**
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

Finishes available:
Black, Patine.



20-110 Monkey Tail Fastener on Scroll Plate

Back plate size: 87 x 25mm
Overall length: 123mm

Available with: (sold separately)
Hook Plate **20-100/SCROLL** (shown)
Mortice Plate **20-102**

Screw size: 8 x 25mm CSK

Finishes available: Black, Patine.

For pricing or enquiries email sales@mercuryfittings.co.za



20-227 Sash Lift

Size: 62 x 25mm

Projection: 40mm

Screw Size: 8 x 25mm CSK

Finishes available:

Black, Patine.



20-210 Sash Fastener (Left Hand) (shown)

20-211 Sash Fastener (Right Hand)

Keep: 14 x 67mm

Arm Plate: 20 x 70mm

(please allow an additional 5mm when the arm goes through the keep.)

Screw size: 8 x 25mm CSK

Finishes available:

Black, Patine.

For pricing or enquiries email sales@mercuryfittings.co.za



Mercury Fittings

Unit 2 Ibis Park
Bell Crescent
Westlake Business Park
Westlake
7945
Cape Town

Phone: +27 (0)21 702 0905

Fax: +27 (0)21 702 0166

E-mail: sales@mercuryfittings.co.za

www.mercuryfittings.co.za